

AUTHOR INDEX

VOLUME 42 (1977)

- Abbondandolo, A., 279
 Ahmed, F.E., 161
 Antoni, F., 191

 Baev, I.A., 357
 Baranowska, H., 343
 Basler, A., 373
 Brecher, S., 249
 Bridges, B.A., 33
 Busk, L., 3

 Collins, A.R.S., 413
 Cornu, A., 235
 Crossen, P.E., 305

 Dawes, I.W., 215
 Dean, B.J., 269
 De Boer, P., 379
 DeLuca, J.G., 327
 Devoret, R., 205
 Dolphin, G.W., 401

 Eisenbrand, G., 45
 Ejchart, A., 343
 Elovson, R., 3
 El Zawahri, M., 125
 Eyfjörd, J.E., 33

 Felkner, I.C., 175
 Friedberg, E.C., 433

 Georgiev, S., 453
 Gichner, T., 65
 Goodhead, D.T., 145
 Goze, A., 205
 Green, M.H.L., 33
 Grigg, G.W., 181

 Hardie, I.D., 215
 Hart, R.W., 161
 Hitotsumachi, S., 117

 Ito, N., 335
 Ives, P.T., 89

 Johnson, R.T., 413
 Johnstone, A., 269

 Kaden, D.A., 327
 Karadjov, A.K., 357
 Kidwell, J.F., 89
 Kidwell, M.G., 89
 Kikuchi, Y., 117
 Kramers, P.G.N., 349
 Krausse, G.V., 51
 Krolewski, J., 327

 Lewis, N.J., 161
 Lloyd, D.C., 401

 Magni, G.E., 223
 McFee, A.F., 395
 Morad, M., 125
 Morgan, W.F., 305
 Moule, Y., 205
 Munson, R.J., 145
 Muriel, W.J., 33

 Nagao, M., 335
 Nagy, Zs., 191
 Natarajan, A.T., 109, 379
 Nicoloff, H., 453

 Painter, R.B., 299
 Panzeri, L., 223
 Pokorný, V., 65
 Pokrovskaya, A.A., 51
 Purrott, R.J., 401
 Putrament, A., 343

 Robinson, A.S., 79
 Röhrborn, G., 373
 Roos, R.A. Chr., 99
 Rudé, J.M., 433

 Rupova, I.M., 357
 Ryman, N., 363
 Ryttnann, H., 3

 Sarasin, A., 205
 Schor, S.L., 413
 Seino, Y., 335
 Siebert, D., 45
 Siegel, E.C., 443
 Singh, H.N., 447
 Singh, H.R., 447
 Skopek, T.R., 327
 Sleigh, M.J., 181
 Solymosy, M., 191
 Sonie, K.C., 447
 Sora, S., 223
 Soyfer, V.N., 51
 Starec-Nordenhammar, I., 3
 Stephens, M.A., 313
 Stretch, A., 313
 Sugimura, T., 335

 Tanooka, H., 19
 Tano, S., 71
 Thacker, J., 313
 Thilly, W.G., 327
 Tipper, P.A., 401

 Vaccaro, K.K., 443
 Van Beek, R., 379
 Van Bul, P.P.W., 99, 379
 Van der Hoeven, F.A., 379
 Velemínsky, J., 65
 Vig, B.K., 109
 Vuglenova, A.K., 357

 Yahagi, T., 335
 Yakovleva, N.I., 51
 Yamaguchi, H., 71

 Zetterberg, G., 3
 Zimmermann, F.K., 109

SUBJECT INDEX

VOLUME 42 (1977)

- Aberration, yields, in human lymphocytes, effect of X-ray-induced mitotic delay on, 401
- Aberrations, chromatid, intrachromosomal distribution of, by *N*-methyl-*N*-nitrosourethane, in *Triticum durum*, 453
- , chromosomal and chromatid, recovery of, in plant seeds treated with propyl methanesulphonate, 51
- , in mouse embryos, after paternal treatment with triethylenemelamine, 117
- , in pig leucocytes, after γ -irradiation, 395
- Acetanilide, in *B. subtilis* test systems, 19
- 2-Acetylaminofluorene, direct treatment of *B. subtilis* DNA, 175
- Aflatoxin, B₁, metabolites, reactivation of UV-damaged phage lambda in *E. coli* host cells treated with, 205
- Aldrin, in cultured human cells, 161
- Alga, blue-green, nitrate regulation of heterocyst differentiation and nitrogen fixation in chlorate-resistant mutant, 447
- 9-Aminoacridine, in *S. typhimurium*, 327
- 4-Aminoquinoline 1-oxide, in *B. subtilis* test systems, 19
- Analogues, bifunctional and water-soluble, of 1,3-bis(2-chloroethyl)-1-nitrosourea, in *S. cerevisiae*, genetic effects, 45
- Anthocyanin, production, in flowers of *Petunia*, induced unstable systems, 235
- Anthranilic acid, in *B. subtilis* test systems, 19
- Anti-cancer, agent, 1,3-bis(2-chloroethyl)-1-nitrosourea, genetic effects of analogues, in *S. cerevisiae*, 45
- Assay, host-mediated, influence of pH on effects of 2,4-dichlorophenoxyacetic acid on yeast, 3
- Assays, dominant lethal, in male mouse, 269
- Auxotrophic mutations, suppressible, applications of *B. subtilis* test systems for mutagens, involving, 19
- Auxotrophs, specific, selection of, of *S. cerevisiae*, using temperature-sensitive suicide mutants, 215
- Bacillus subtilis*, DNA, direct treatment, 175
- , test systems, for mutagens, involving DNA-repair deficiency, and suppressive auxotrophic mutations, 19
- Barley, embryo, repair of radiation-induced breaks, 71
- , seeds, treated with propyl methanesulphonate, repair of damage, 51
- , single-strand breaks, by sodium azide, at pH 3, 65
- Basc*, strains, of *Drosophila*, spontaneous non-reciprocal mutation and sterility, 89
- Benzene hexachloride, α and β , in *B. subtilis* test systems, 19
- Benzo(a)pyrene, in *B. subtilis* test systems, 19
- 1,3-Bis(2-chloroethyl)-1-nitrosourea, genetic effects of analogues of, in *S. cerevisiae*, 45
- Blood, peripheral, lymphocytes, cultured, chromosomal radiosensitivity and karyotype in mice using, 379
- Bone marrow, cells, of mouse, effect of exposure rate on translocation induction, 99
- , of mouse, cytological effects of carofur, 109
- Breakage, of DNA, sulphhydryl-mediated, by phleomycin, in *E. coli*, 181
- Breaks, chromosome, cyclophosphamide-induced, non-random distribution, 125
- , of DNA, single-strand, in plant seeds treated with propyl methanesulphonate, 51
- , single-strand, in barley, by sodium azide, at pH 3, 65
- , —, radiation-induced, in DNA of barley embryo, repair of, 71
- , unrepaired, double-strand, in nuclear DNA, lethality, 131
- N*-*n*-Butyl-*N*-nitrosourethane, in *B. subtilis* test systems, 19
- N*-*n*-Butylurethane, in *B. subtilis* test systems, 19

- Caffeine, and mutagenic DNA repair in *E. coli*, 33
- Captan, in cultured human cells, 161
- Carbaryl, in cultured human cells, 161
- Carofur, cytological effects, 109
- CD1, mouse, dominant lethal assays, 269
- Cell, cultures, mammalian, mutagenesis by fluorescent light, 139
- , HeLa, replicons, inhibition of initiation of, by methyl methanesulphonate, 299
 - , survival, relation between induced mutation frequency and, 145
- Cells, of Chinese hamster, thioguanine-resistant mutants by γ -rays, 313
- , host, of *E. coli*, treated with aflatoxin, reactivation of UV-damaged phage lambda in, 205
 - , human, cultured, pesticide-induced DNA damage, and its repair, 161
 - , —, UV-irradiated, inhibition of repair, 413
 - , mammalian, in culture, prospects for evaluating genetic damage in, 279
 - , somatic and germ, of mouse, effect of exposure rate on translocation induction, 99
- Chinese hamster, cells, effects of carofur, 109
- , —, thioguanine-resistant mutants by γ -rays, 313
 - , embryos, pre-implantation, *in vitro*, culture of, 373
 - , ovary cells, mutagenesis by fluorescent light, 139
- Chlorate-resistant, mutant, of blue-green alga, nitrate regulation of heterocyst differentiation and nitrogen fixation, 447
- Chlordane, in cultured human cells, 161
- 5-Chloro-8-hydroxyquinoline, in *S. typhimurium*, 335
- 2-Chloroquinoline, mutagenicity testing, 335
- Chlorozotocin, in *S. cerevisiae*, 45
- Chromatid, aberrations, intrachromosomal distribution of, by *N*-methyl-*N*-nitrosourethane, in *Triticum durum*, 453
- , exchanges, sister, in cultured human lymphocytes, 305
 - , gaps, X-ray-induced, ultrastructural observations of, 249
- Chromosomal, radiosensitivity, and karyotype in mice, using cultured peripheral blood lymphocytes, 379
- Chromosome, aberrations, and dominant lethality of mouse embryos after paternal treatment with triethylenemelamine, 117
- , breaks, cyclophosphamide-induced, non-random distribution, 125
- Chromosomes, mammalian, ultrastructural observations of X-ray-induced chromatid gaps, 249
- Chronic, γ -irradiation, mouse oocyte dominant-lethal response to, 357
- Conversion, induction, in nuclear DNA, manganese in yeast, 343
- Cortisone acetate, in *B. subtilis* test systems, 19
- Cranston, strains, of *Drosophila*, spontaneous non-reciprocal mutation and sterility, 89
- Cricetulus griseus*, cells, cytological effects of carofur, 109
- , embryos, pre-implantation, culture of, *in vitro*, 373
- Culture, of pre-implantation Chinese hamster embryos *in vitro*, 373
- Cultured, human, cells, pesticide-induced damage, and its repair, 161
- , —, lymphocytes, sister chromatid exchanges, 305
 - , mammalian, cells, prospects for evaluating genetic damage in, 279
- Cultures, of mammalian cells, mutagenesis by fluorescent light, 139
- Cyclophosphamide, non-random distribution of breaks, 125
- Cytological, effects, of carofur, 109
- Damage, of DNA, pesticide-induced, and repair, in cultured human cells, 161
- , genetic, in mammalian cells in culture, prospects for evaluation of, 279
- DDT, in cultured human cells, 161
- Decline, of mutation frequency, in excision-proficient strain of *E. coli*, 33
- Delay, mitotic, X-ray-induced, effect on aberration yields in human lymphocytes, 401
- Deoxyadenosine, and inhibition of repair in UV-irradiated human cells, 413
- Derivatives, of 2-acetylaminofluorene, direct treatment of *B. subtilis* DNA, 175
- , *polA1* and *recA1*, of mutator strains of *E. coli*, frame-shift mutability of, 443
 - , of quinoline, mutagenicities, 335
- Design, experimental, evaluation of, and dominant lethal assays in CD1 mouse, 269
- 2,4-D fluid, in cultured human cells, 161
- 5,7-Dibromo-8-hydroxyquinoline, in *S. typhimurium*, 335
- Di-*n*-butylamine, in *B. subtilis* test systems, 19
- Di-*n*-butylnitrosamine, in *B. subtilis* test systems, 19

- 5,7-Dichloro-8-hydroxyquinoline, in *S. typhimurium*, 335
- 2,4-Dichlorophenoxyacetic acid, influence of pH on effects of, on *S. cerevisiae* and *S. typhimurium*, 3
- 4,7-Dichloroquinoline, in *S. typhimurium*, 335
- Dieldrin, in cultured human cells, 161
- Differentiation, heterocyst, nitrate regulation of, in chlorate-resistant mutant of blue-green alga, 447
- 2,4-Dihydroxyquinoline, in *S. typhimurium*, 335
- Dimethoate, in cultured human cells, 161
- 4-Dimethylaminostilbene, in *B. subtilis* test systems, 19
- Diquat, in cultured human cells, 161
- Direct, treatment, of *B. subtilis* DNA, 175
- Distribution, intrachromosomal, of aberrations, by *N*-methyl-*N*-nitrosourea, in *Triticum durum*, 453
- , non-random, of cyclophosphamide-induced breaks, 125
- DNA, breakage, sulphhydryl-mediated, by phleomycin, in *E. coli*, 181
- , breaks, single strand, in plant seeds treated with propyl methanesulphonate, 51
- , of *B. subtilis*, direct treatment, 175
- , damage, pesticide-induced, and repair, in cultured human cells, 161
- , nuclear, conversion induction in, manganese treatment of yeast, 343
- , —, unrepaired double-strand breaks, and lethality, 131
- , repair, mutagenic, in *E. coli*, 33
- , repair deficiency, application of *B. subtilis* test systems for mutagens, involving, 19
- , synthesis, semi-conservative, in xeroderma pigmentosum and normal human skin fibroblasts, UV-irradiation, 433
- Dominant lethal, assays, in male mice, 269
- , mutations, in male mouse, by methyl methanesulphonate, 135
- , response, of mouse oocyte, to chronic γ -irradiation, 357
- , test, aberrations in mouse embryos, after paternal treatment with triethylenemelamine, 117
- Dominant lethality, of mouse embryos after paternal treatment with triethylenemelamine, 117
- Double-strand breaks, unrepaired, in nuclear DNA, 131
- Drosophila melanogaster*, spontaneous mutation in strain crosses, 89
- , temperature-sensitive mutations, hycanthone mutagenesis, 349
- Embryo, of barley, repair of radiation-induced breaks, 71
- Embryos, of Chinese hamster, pre-implantation, *in vitro*, culture of, 373
- , of mouse, aberrations after paternal treatment with triethylenemelamine, 117
- Endoxan, non-random distribution of breaks, 125
- Escherichia coli*, frame-shift mutability of *polA1* and *recA1* derivatives of mutator strains of, 443
- , host cells, treated with aflatoxin, reactivation of UV-damaged phage lambda in, 205
- , lethal effect of nitrous acid, 191
- , mutagenic DNA repair, 33
- , sulphhydryl-mediated DNA breakage by phleomycin, 181
- Ethionine, in *B. subtilis* test systems, 19
- Ethyl methanesulphonate, DNA repair in *E. coli*, 33
- Ethynylestradiol, in *B. subtilis* test systems, 19
- Eukaryotes, relation between induced mutation frequency and cell survival, 145
- Evaluation, of experimental design of CD1 mice, dominant lethal assay, 269
- , of genetic damage, in mammalian cells in culture, prospects for, 279
- Exchanges, sister chromatid, in cultured human lymphocytes, 305
- Excision-proficient, strain of *E. coli*, mutagenic DNA repair, 33
- Experimental, design, evaluation of, and dominant lethal assays in CD1 mouse, 269
- Exposure, rate, effect of, on translocation induction in mouse cells, 99
- Fibroblasts, of normal and xeroderma pigmentosum skin, semi-conservative DNA synthesis, 433
- Fixation, of nitrogen, in chlorate-resistant mutant of blue-green alga, 447
- Flowers, of *Petunia*, induced unstable systems, 235
- Fluorescein sodium, in *B. subtilis* test systems, 19
- Fluorescent light, mutagenesis in mammalian cell cultures, 139
- Fly, onion, sperm of, X-irradiation, 79
- Frame-shift, mutability, of *polA1* and *recA1* derivatives of mutator strains of *E. coli*, 443

- , mutagen, for *S. typhimurium* TA 1537, 9-aminoacridine, activity, 327
- Frequency, decline, of mutation, in excision-proficient strain of *E. coli*, 33
- , of mutation, and cell survival, relation between, 145
- Furylfuramide, applications of *B. subtilis* test systems, 19
- Gaps, chromatid, X-ray-induced, ultrastructural observations of, 249
- Generations, F_0 and F_1 , genetic control in X-irradiated *Hylemya antiqua*, 79
- Genetic, control, of *Hylemya antiqua*, X-irradiation, 79
- , damage, in mammalian cells in culture, prospects for evaluation of, 279
- , effects, of new analogues, of 1,3-bis(2-chloroethyl)-1-nitrosourea, in *S. cerevisiae*, 45
- Germ, cells, of mouse, effect of exposure rate on translocation induction, 99
- HeLa, cell, replicons, inhibition of initiation of, by methyl methanesulphonate, 299
- Heptachlor, in cultured human cells, 161
- Heptachlor-epoxy, in cultured human cells, 161
- Heterocyst, differentiation, nitrate regulation of, of chlorate-resistant mutant of blue-green alga, 447
- Heterozygotes, recessive lethal, from inbred strains of mouse, 363
- Hoechst compound 37 507, direct treatment of *B. subtilis* DNA, 175
- Hordeum distichum*, embryo, repair of radiation-induced single-strand breaks, 71
- Hordeum vulgare*, seeds, treated with propyl methanesulphonate, repair of damage, 51
- Host, cells, of *E. coli*, treated with aflatoxin, reactivation of UV-damaged phage lambda in, 205
- Host-mediated assay, influence of pH on effects of 2,4-dichlorophenoxyacetic acid on yeast, 3
- Human, cells, cultured, pesticide-induced DNA damage, and its repair, 161
- , —, UV-irradiated, inhibition of repair, 413
- , leucocytes, effects of carofur, 109
- , lymphoblasts, *hgp* locus, activity of 9-aminoacridine, 327
- , lymphocytes, cultured, sister chromatid exchanges, 305
- , —, effect of X-ray-induced mitotic delay on aberration yields, 401
- , —, mutagenic effect of endoxan, 125
- , skin fibroblasts, normal and xeroderma pigmentosum, semi-conservative DNA synthesis, 433
- Hycanthone methanesulphonate, in *D. melanogaster*, temperature sensitivity, 349
- N-Hydroxy-2-acetylaminofluorene, direct treatment of *B. subtilis* DNA, 175
- 1-(ω -Hydroxyalkyl)-3-(2-chloroethyl)-3-nitrosoureas, in *S. cerevisiae*, 45
- 3-Hydroxyanthranilic acid, in *B. subtilis* test systems, 19
- 8-Hydroxyquinoline, testing in *S. typhimurium*, 335
- 8-Hydroxyquinoline-5-sulphonic acid, in *S. typhimurium*, 335
- Hydroxyurea, and inhibition of repair in UV-irradiated human cells, 413
- Hylemya antiqua*, genetic control, X-radiation, 79
- Implantation, pre-, Chinese hamster embryos, *in vitro*, culture of, 373
- Inbred, strains, of mouse, frequency of recessive lethal heterozygotes, 363
- Inhibition, of initiation, of HeLa cell replicons by methyl methanesulphonate, 299
- , of repair, in UV-irradiated human cells, 413
- Initiation, of HeLa cell replicons, inhibition by methyl methanesulphonate, 299
- Intrachromosomal, distribution, of aberrations, by *N*-methyl-*N*-nitrosourethane, in *Triticum durum*, 453
- Irradiation, γ , breaks in DNA of barley embryo, 71
- , —, chronic, mouse oocyte dominant-lethal response to, 357
- , —, half- or whole-body, aberrations in pig leucocytes, 395
- , —, thioguanine-resistant mutants of Chinese hamster cells by, 313
- , γ and X, in mouse cells, effect of exposure rate on translocation induction, 99
- , ionizing, unrepaired double-strand breaks in nuclear DNA, 131
- , UV, in human cells, inhibition of repair, 413
- , —, mutagenic DNA repair in *E. coli*, 33
- , —, in phage lambda, reactivation of, in *E. coli* host cells treated with aflatoxin, 205
- , —, semi-conservative DNA synthesis in xeroderma pigmentosum and normal human skin fibroblasts, 433
- , UV and X, applications of *B. subtilis* test systems, 19
- , X, chromosomal radiosensitivity and

- karyotype in mice, using cultured peripheral blood lymphocytes, 379
- , —, effect of mitotic delay on aberration yields in human lymphocytes, 401
 - , —, genetic control of *Hylemya antiqua*, 79
 - , —, molecular specificity of, and its repair in *S. cerevisiae*, 223
 - , —, ultrastructural observations of chromatid gaps, 249
- Isoquinoline, in *S. typhimurium*, 335
- Karyotype, chromosomal radiosensitivity and, in mice, using cultured peripheral blood lymphocytes, 379
- Lethal, effect, of nitrous acid, in *E. coli*, 191
- Lethality, dominant, in mouse embryos after paternal treatment with triethylenemelamine, 117
- , and sterility, in strain crosses of *Drosophila*, 89
 - , and unrepaired double-strand breaks in nuclear DNA, 131
- Leucocytes, of human, effects of carofur, 109
- , of pig, aberrations after γ -irradiation, 395
- Light, fluorescent, mutagenesis, in mammalian cell cultures, 139
- Lindane, in cultured human cells, 161
- Locus, *hgp^{rt}*, in human lymphoblasts, activity of 9-aminoacridine, 327
- Lymphoblasts, human, *hgp^{rt}* locus, activity of 9-aminoacridine, 327
- , cultured, human, sister chromatid exchanges, 305
 - , human, effect of X-ray-induced mitotic delay on aberration yields, 401
 - , of human and mouse, cytological effects of carofur, 109
 - , mutagenic effect of endoxan, 125
 - , of peripheral blood, cultured, chromosomal radiosensitivity and karyotype in mice using, 379
- Male, mouse, dominant lethal assays, 269
- , —, treatment with methyl methanesulphonate, 135
- Mammalian, cell cultures, mutagenesis by fluorescent light, 139
- , —, prospects for evaluating genetic damage in, 279
 - , chromosomes, ultrastructural observations of X-ray-induced chromatid gaps, 249
- Man, chromosomal radiosensitivity and karyotype in mice, using cultured peripheral blood lymphocytes, comparison with, 379
- Manganese, in yeast, 343
- Mechanism, of hycanthone mutagenesis, in *D. melanogaster*, 349
- Metabolites, of aflatoxin B₁, reactivation of UV-damaged phage lambda in *E. coli* host cells, treated with, 205
- 1-(2-Methanesulphonyloxyethyl)-3-(2-chloroethyl)-3-nitrosourea, in *S. cerevisiae*, 45
- Methionine, in *B. subtilis* test systems, 19
- Methods, statistical, evaluation of, in dominant lethal assays in CD1 mouse, 269
- 2-Methyl-8-hydroxyquinoline, in *S. typhimurium*, 335
- 3-Methylisoquinoline, in *S. typhimurium*, 335
- Methyl methanesulphonate, applications of *B. subtilis* test systems, 19
- , dominant lethal assays in male mouse, 269
 - , inhibition of initiation of HeLa cell replicons by, 299
 - , in male mouse, 135
- N-Methyl-N'-nitro-N-nitrosoguanidine, selection of specific auxotrophs of *S. cerevisiae* using temperature-sensitive suicide mutants, 215
- N-Methyl-N-nitrosourea, in *B. subtilis* test systems, 19
- N-Methyl-N-nitrosourethane, in *Triticum durum*, intrachromosomal distribution of aberrations, 453
- 1,1'-(4-Methyl-m-phenylenebis)-3-(2-chloroethyl)-3-nitrosourea, in *S. cerevisiae*, 45
- 4-Methylquinoline, in *S. typhimurium*, 335
- 6-Methylquinoline, in *S. typhimurium*, 335
- 7-Methylquinoline, in *S. typhimurium*, 335
- 8-Methylquinoline, in *S. typhimurium*, 335
- Methylurea, in *B. subtilis* test systems, 19
- Mitotic, delay, X-ray-induced, effect on aberration yields in human lymphocytes, 401
- Molecular, specificity, of X-radiation, and its repair in *S. cerevisiae*, 223
- Mouse, cells, effects of carofur, 109
- , chromosomal radiosensitivity, and karyotype in, using cultured peripheral blood lymphocytes, 379
 - , effect of exposure rate on translocation induction in somatic and germ cells, 99
 - , embryos, aberrations after paternal treatment with triethylenemelamine, 117
 - , male, dominant lethal assays, 269
 - , —, treatment with methyl methanesulphonate, 135

- , oocyte, dominant-lethal response, to chronic γ -irradiation, 357
- , strains, inbred, frequency of recessive lethal heterozygotes, 363
- Mus musculus*, effect of exposure rate on translocation induction in somatic and germ cells, 99
- Mutability, frame-shift, of *polA1* and *recA1* derivatives of mutator strains of *E. coli*, 443
- Mutagen, acetanilide, in *B. subtilis* test systems, 19
- , 2-acetylaminofluorene, direct treatment of *B. subtilis* DNA, 175
- , aldrin, in cultured human cells, 161
- , 9-aminoacridine, in *S. typhimurium*, 327
- , 4-aminoquinoline 1-oxide, in *B. subtilis* test systems, 19
- , anthranilic acid, in *B. subtilis* test systems, 19
- , benzene hexachloride, α and β , in *B. subtilis* test systems, 19
- , benzo(a)pyrene, in *B. subtilis* test systems, 19
- , 1,3-bis(2-chloroethyl)-1-nitrosourea, genetic effects of analogues, in *S. cerevisiae*, 45
- , *N-n*-butyl-*N*-nitrosourethane, in *B. subtilis* test systems, 19
- , *N-n*-butylurethane, in *B. subtilis* test systems, 19
- , captan, in cultured human cells, 161
- , carbaryl, in cultured human cells, 161
- , carofur, cytological effects, 109
- , chlordane, in cultured human cells, 161
- , 5-chloro-8-hydroxyquinoline, in *S. typhimurium*, 335
- , chlorozotocin, in *S. cerevisiae*, 45
- , cortisone acetate, in *B. subtilis* test systems, 19
- , cyclophosphamide, non-random distribution of breaks, 125
- , DDT, in cultured human cells, 161
- , 2,4-D fluid, in cultured human cells, 161
- , di-*n*-butylamine, in *B. subtilis* test systems, 19
- , di-*n*-butylnitrosamine, in *B. subtilis* test systems, 19
- , 2,4-dichlorophenoxyacetic acid, influence of pH on effects of, on *S. cerevisiae* and *S. typhimurium*, 3
- , 4,7-dichloroquinoline, in *S. typhimurium*, 335
- , dieldrin, in cultured human cells, 161
- , 2,4-dihydroxyquinoline, in *S. typhimurium*, 335
- , dimethoate, in cultured human cells, 161
- , 4-dimethylaminostilbene, in *B. subtilis* test systems, 19
- , diquat, in cultured human cells, 161
- , endoxan, non-random distribution of breaks, 125
- , ethionine, in *B. subtilis* test systems, 19
- , ethyl methanesulphonate, DNA repair in *E. coli*, 33
- , ethynylestradiol, in *B. subtilis* test systems, 19
- , fluorescein sodium, in *B. subtilis* test systems, 19
- , furylfuramide, applications of *B. subtilis* test systems, 19
- , heptachlor, in cultured human cells, 161
- , heptachlor-epoxy, in cultured human cells, 161
- , Hoechst compound 37 507, direct treatment of *B. subtilis* DNA, 175
- , hycanthone methanesulphonate, in *D. melanogaster*, temperature sensitivity, 349
- , *N*-hydroxy-2-acetylaminofluorene, direct treatment of *B. subtilis* DNA, 175
- , 1-(ω -hydroxyalkyl)-3-(2-chloroethyl)-3-nitrosoureas, in *S. cerevisiae*, 45
- , 3-hydroxyanthranilic acid, in *B. subtilis* test systems, 19
- , 8-hydroxyquinoline, testing in *S. typhimurium*, 335
- , 8-hydroxyquinoline-5-sulphonic acid, in *S. typhimurium*, 335
- , lindane, in cultured human cells, 161
- , manganese, in yeast, 343
- , 1-(2-methanesulphonyl-oxyethyl)-3-(2-chloroethyl)-3-nitrosourea, in *S. cerevisiae*, 45
- , methionine, in *B. subtilis* test systems, 19
- , 2-methyl-8-hydroxyquinoline, in *S. typhimurium*, 335
- , methyl methanesulphonate, applications of *B. subtilis* test systems, 19
- , —, dominant lethal assays in male mouse, 269
- , —, inhibition of initiation of Hela cell replicons by, 299
- , —, in male mouse, 135
- , *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, selection of specific auxotrophs of *S. cerevisiae* using temperature-sensitive suicide mutants, 215
- , *N*-methyl-*N*-nitrosourea, in *B. subtilis* test systems, 19
- , *N*-methyl-*N*-nitrosourethane, in *Triticum durum*, intrachromosomal distribution of aberrations, 453
- , 1,1'-(4-methyl-*m*-phenylenebis)-3-(2-

- chloroethyl)-3-nitrosourea, in *S. cerevisiae*, 45
- , 4-methylquinoline, in *S. typhimurium*, 335
- , 6-methylquinoline, in *S. typhimurium*, 335
- , 7-methylquinoline, in *S. typhimurium*, 335
- , 8-methylquinoline, in *S. typhimurium*, 335
- , methylurea, in *B. subtilis* test systems, 19
- , naphthol, in *B. subtilis* test systems, 19
- , naphthylamine, α and β , in *B. subtilis* test systems, 19
- , nifurprazinium, cytological effects, 109
- , nitrofurazone, in *B. subtilis* test systems, 19
- , nitroquinoline, 6- and 8-, in *S. typhimurium*, 335
- , 4-nitroquinoline 1-oxide, in *B. subtilis* test systems, 19
- , nitrous acid, lethal effect, on *E. coli*, 191
- , pesticide, DNA damage, and repair in cultured human cells, 161
- , phenacetin, in *B. subtilis* test system, 19
- , phleomycin, sulphydryl-mediated DNA breakage by, in *E. coli*, 181
- , phloxine, in *B. subtilis* test systems, 19
- , 1,1'-polymethylenebis-3-(2-chloroethyl)-3-nitrosoureas, in *S. cerevisiae*, 45
- , propyl methanesulphonate, repair after treatment of plant seeds, 51
- , pyrene, *B. subtilis* test systems, 19
- , quinoline, and its derivatives, 335
- , rotenone, in cultured human cells, 161
- , sodium azide, applied at pH 3 in barley, 65
- , stilbene, in *B. subtilis* test systems, 19
- , triethylenemelamine, paternal treatment, aberrations of mouse embryos, 117
- Mutagenic, DNA repair, in *E. coli*, 33
- Mutagenicities, of quinoline and derivatives, 335
- Mutant, chlorate-resistant, of blue-green alga, nitrate regulation of heterocyst differentiation and nitrogen fixation, 447
- Mutants, suicide, temperature-sensitive, selection of specific auxotrophs of *S. cerevisiae* using, 215
- , thioguanine-resistant, of Chinese hamster cells, by γ -rays, 313
- Mutation, frequency, and cell survival, relation between, 145
- , frequency decline, in excision-proficient strain, of *E. coli*, 33
- , spontaneous, and sterility, in strain crosses of *D. melanogaster*, 89
- Mutations, auxotrophic, suppressible, applications of *B. subtilis* test systems for mutagens, involving, 19
- , dominant lethal, in male mouse, by methyl methanesulphonate, 135
- , temperature-sensitive, in *D. melanogaster*, hycanthone mutagenesis, 349
- Mutator, strains, of *E. coli*, frame-shift mutability of *polA1* and *recA1* derivatives of, 443
- Naphthol, in *B. subtilis* test systems, 19
- Naphthylamine, α and β , in *B. subtilis* test systems, 19
- Nifurprazinium, cytological effects, 109
- Nitrate, regulation, of heterocyst differentiation, of chlorate-resistant mutant of blue-green alga, 447
- Nitrofurazone, in *B. subtilis* test systems, 19
- Nitrogen fixation, in chlorate-resistant mutant of blue-green alga, 447
- Nitroquinoline, 6- and 8-, in *S. typhimurium*, 335
- 4-Nitroquinoline 1-oxide, in *B. subtilis* test systems, 19
- Nitrous acid, lethal effect, on *E. coli*, 191
- Nostoc muscorum*, nitrate regulation of heterocyst differentiation and nitrogen fixation in chlorate-resistant mutant, 447
- Nuclear, DNA, conversion induction in, manganese treatment of yeast, 343
- , —, unrepaired double-strand breaks, 131
- Obituary, note, Arnold H. Sparrow, 1
- Onion fly, sperm, X-irradiation, 79
- Oocyte, of mouse, dominant-lethal response, to chronic γ -irradiation, 357
- Ovarian, cells, of Chinese hamster, mutagenesis by fluorescent light, 139
- Paternal, treatment, with triethylenemelamine, aberrations of mouse embryos, 117
- Peripheral, blood lymphocytes, cultured, chromosomal radiosensitivity and karyotype in mice using, 379
- Pesticides, DNA damage, and repair in cultured human cells, 161
- Petunia, induced unstable systems, in, 235
- pH, 3, breaks in barley by sodium azide, 65
- , influence of, on effects of 2,4-D, on *S. cerevisiae* and *S. typhimurium*, 3
- Phage, lambda, UV-damaged, reactivation of, in *E. coli* host cells treated with aflatoxin, 205
- Phenacetin, in *B. subtilis* test system, 19
- Phleomycin, sulphydryl-mediated DNA breakage by, in *E. coli*, 181

- Phloxine, in *B. subtilis* test systems, 19
- Pig, leucocytes, aberrations after γ -irradiation, 395
- Plant, seeds, treated with propyl methanesulphonate, repair of damage, 51
- polA1*, derivatives, and *recA1*, of mutator strains of *E. coli*, frame-shift mutability of, 443
- 1,1'-Polymethylenebis(3-(2-chloroethyl)-3-nitrosoureas, in *S. cerevisiae*, 45
- Post-replication, repair, error-free, in excision-proficient strain, of *E. coli*, 33
- Propyl methanesulphonate, repair after treatment of plant seeds, 51
- Pyrene, in *B. subtilis* test systems, 19
- Quinoline, and its derivatives, 335
- Quinoline-2-carboxylic acid, in *S. typhimurium*, 335
- Quinoline-8-sulphonyl chloride, in *S. typhimurium*, 335
- Radiosensitivity, chromosomal, and karyotype in mice, using cultured peripheral blood lymphocytes, 379
- Rate of exposure, effect of, on translocation induction, in mouse cells, 99
- Reactivation, induced, of UV-damaged phage lambda, in *E. coli* K12 host cells, treated with aflatoxin B₁ metabolites, 205
- recA1*, derivatives, and *polA1*, of mutator strains of *E. coli*, frame-shift mutability of, 443
- Recessive lethal, heterozygotes, from inbred strains of mouse, 363
- Regulation, of nitrate, of heterocyst differentiation, of chlorate-resistant mutant of blue-green alga, 447
- Repair, deficiency, of DNA, application of *B. subtilis* test systems for mutagens, involving, 19
- , of mutagenic DNA, in *E. coli*, 33
 - , of pesticide-induced damage, in cultured human cells, 161
 - , post-replication, error-free, in excision-proficient strain, of *E. coli*, 33
 - , of radiation-induced breaks in DNA of barley embryo, 71
 - , of single-strand DNA breaks, in plant seeds treated with propyl methanesulphonate, 51
 - , in UV-irradiated human cells, inhibition of, 413
 - , of X-ray damage, in *S. cerevisiae*, 223
- Replicons, HeLa cell, inhibition of initiation of, by methyl methanesulphonate, 299
- Rotenone, in cultured human cells, 161
- Saccharomyces cerevisiae*, genetic effects of analogues of 1,3-bis(2-chloroethyl)-1-nitrosourea, 45
- , influence of pH on effects of 2,4-dichlorophenoxyacetic acid, 3
 - , molecular specificity of X-radiation and its repair, 223
 - , selection of specific auxotrophs of, using temperature-sensitive suicide mutants, 215
 - , unrepaired double-strand breaks in nuclear DNA, 131
- Salmonella typhimurium*, 9-aminoacridine treatment, 327
- , influence of pH on effects of 2,4-dichlorophenoxyacetic acid, 3
 - , mutagenicities of quinoline and its derivatives, 335
- Seeds, of barley, breaks by sodium azide, at pH 3, 65
- , of plant, treated with propyl methanesulphonate, repair of damage, 51
- Selection, of specific auxotrophs of *S. cerevisiae*, using temperature-sensitive suicide mutants, 215
- Sensitivity, of CD1 mouse, in dominant lethal assays, 269
- , of temperature, in *D. melanogaster*, hy-canthone mutagenesis, 349
- Simulation, study, random-number, frequency of recessive lethal heterozygotes among inbred strains of mouse, 363
- Single-strand, breaks, in barley, by sodium azide, at pH3, 65
- , —, radiation-induced, in DNA of barley embryo, repair of, 71
- Sister, chromatid, exchanges, in cultured human lymphocytes, 305
- Skin, fibroblasts, normal and xeroderma pigmentosum, semi-conservative DNA synthesis, 433
- Sodium azide, applied at pH 3 in barley, 65
- Somatic, cells, of mouse, effect of exposure rate on translocation induction, 99
- South Amherst, strain, of *Drosophila*, spontaneous non-reciprocal mutation and sterility, 89
- Sparrow, Arnold H., obituary note, 1
- Specificity, molecular, of X-radiation, and its repair in *S. cerevisiae*, 223
- Sperm, of *Hylemya antiqua*, X-irradiation, 79
- Spermatogonia, of mouse, effect of exposure rate on translocation induction, 99
- Spontaneous, non-reciprocal mutation, and sterility, in strain crosses of *Drosophila*, 89
- Statistical, methods, evaluation of, in domi-

- nant lethal assays in CD1 mouse, 269
- Sterility, and spontaneous mutation in strain crosses of *Drosophila*, 89
- Stilbene, in *B. subtilis* test systems, 19
- Strain, crosses, of *Drosophila*, spontaneous mutation and sterility, 89
- , excision-proficient, of *E. coli*, mutagenic DNA repair, 33
 - , of mouse, inbred, frequency of recessive lethal heterozygotes, 363
 - , mutator, of *E. coli*, frame-shift mutability of *polA1* and *recA1* derivatives of, 443
 - , TA100 and TA98, of *S. typhimurium*, mutagenicities of quinoline and its derivatives, 335
- Study, simulation, random-number, frequency of recessive lethal heterozygotes among inbred strains of mouse, 363
- Suicide, mutants, temperature-sensitive, selection of specific auxotrophs of *S. cerevisiae* using, 215
- Sulphydryl-mediated, DNA breakage, by phleomycin in *E. coli*, 181
- Survival, of cells, relation between induced mutation frequency and, 145
- Synthesis, DNA, semi-conservative, in xeroderma pigmentosum and normal human skin fibroblasts, UV-irradiation, 433
- Systems, unstable, induced, in *Petunia*, 235
- Technique, QM, non-random distribution of endoxan-induced breaks, 125
- Temperature, sensitivity, in *D. melanogaster*, hycanthone mutagenesis, 349
- Temperature-sensitive, suicide mutants, optimal conditions for selecting specific auxotrophs of *S. cerevisiae* using, 215
- Test, dominant-lethal, aberrations in mouse embryos, after paternal treatment with triethylenemelamine, 117
- Test systems, of *B. subtilis*, for mutagens, involving DNA-repair deficiency, 19
- Thioguanine, resistant mutants, of Chinese hamster cells, by γ -rays, 313
- Translocation, induction, in mouse cells, effect of exposure rate on, 99
- Triethylenemelamine, paternal treatment, aberrations of mouse embryos, 117
- Triticum durum*, Desf., intrachromosomal distribution of aberrations induced by N-methyl-N-nitrosourea, 453
- Ultrastructural, observations, of X-ray-induced chromatid gaps, 249
- Unstable, systems, induced, in *Petunia*, 235
- Xeroderma pigmentosum, cells, and normal human cells, UV-irradiated, inhibition of repair, 413
- , skin fibroblasts, semi-conservative DNA synthesis, 433
- Yeast, genetic effects of analogues of 1,3-bis(2-chloroethyl)-1-nitrosourea, 45
- , influence of pH on effects of 2,4-dichlorophenoxyacetic acid, 3
 - , manganese mutagenesis, 343
 - , molecular specificity of X-radiation and its repair, 223

